



Eaton product guide



Our rumbled block paving range has arrived and is shown here in its signature colour *Terra* as the paving surface in 'Garden Open' which won a **Gold Medal** and overall **1st Prize** at the Chelsea Flower Show.

Tumble® is created using the very latest, state of the art techniques to produce an aged character, for that established look instantly.

Tumble® has a distinctive texture that will give signature to driveways, patios or paths in traditional or modern homes.


Tumble® colours have been specially selected to enhance the maturing look of the blocks as they weather and become part of the landscape; perfectly complementing architecture, the garden's planting and soft landscaping.

Tumble® has a range of accessories: cobbles, kerb setts and dished channels for those finishing detailed touches.



Tumble® Circle kit available in 5 colourways: *Terra, Sterling, Saddle, Carbon and Corn.*





	Small 156x117x50mm	728	1441	13.28m ²	T5ST	T5SST	T5SS	T5SC	T5SCO	
	Medium 156x156x50mm	546	1441	13.28m ²	T5MT	T5MST	T5MS	T5MC	T5MCO	
	Large 156x234x50mm	364	1441	13.28m ²	T5LT	T5LST	T5LS	T5LC	T5LCO	
	Paving Cobble 80x80x50mm	630	441	4.03m ²	T5CT	T5CST	T5CS	T5CC	T5CCO	
	Paving Circle (2532mm Dia.) 50mm	378	548	5.03m ²	CT5T	CT5ST	CT5S	CT5C	CT5CO	
	Dished Channel 200x200x60mm	96	484	-	TD200MU	-	-	TD200C	-	
	Small 156x117x60mm	616	1484	11.24m ²	T6ST	T6SST	T6SS	T6SC	T6SCO	
	Medium 156x156x60mm	462	1483	11.24m ²	T6MT	T6MST	T6MS	T6MC	T6MCO	
	Large 156x234x60mm	308	1484	11.24m ²	T6LT	T6LST	T6LS	T6LC	T6LCO	
NEW	Extra Large 315x237x60mm	81	788	6.04m ²	T6XLT	-	-	T6XLC	-	
	Small 156x117x80mm	448	1415	8.17m ²	T8ST	T8SST	T8SS	T8SC	T8SCO	
	Medium 156x156x80mm	336	1415	8.17m ²	T8MT	T8MST	T8MS	T8MC	T8MCO	
	Large 156x234x80mm	224	1415	8.17m ²	T8LT	T8LST	T8LS	T8LC	T8LCO	
NEW	Extra Large 315x237x80mm	81	1050	6.04m ²	T8XLT	-	-	T8XLC	-	
	Paving Kerb 150x225x100mm	224	1576	22.40 lm	TKT	TKST	TKS	TKC	TKCO	
	Tumble Kerb External Angle	1	9	-	TXAT	-	TXAS	TXAC	TXACO	
	Tumble Kerb Internal Angle	1	9	-	TIAT	-	TIAS	TIAC	TIACO	



Prägue

Prägue Sett [50mm]	No. Per Pack	Pack Weight Kg	Area Per Pack	Code
Assorted Pack [134x210/134x134/134x100mm]				
Prägue Sett - 50mm Spring	672	1411	12.92m ²	P5
Prägue Sett - 50mm Summer	672	1411	12.92m ²	P5S
Prägue Sett - 50mm Autumn	672	1411	12.92m ²	P5A
Prägue Sett - 50mm Winter	672	1411	12.92m ²	P5W
Prägue Sett - 50mm Blaze	672	1411	12.92m ²	P5BL
Prägue Sett - 50mm <i>Embers</i>	672	1411	12.92m ²	P5E
All 6 colours available in 60mm	576	1470	11.08m ²	Various
Prägue Sett Circle (1620mm Dia.) 50mm Spring	1	218	2m²	CP5
Prägue Sett Circle (1620mm Dia.) 50mm Summer	1	218	2m²	CP5S
Prägue Sett Circle (1620mm Dia.) 50mm Autumn	1	218	2m²	CP5A
Prägue Sett Circle (1620mm Dia.) 50mm Winter	1	218	2m²	CP5W
Prägue Sett Circle (1620mm Dia.) 50mm Blaze	1	218	2m²	CP5BL
Prägue Sett Circle (1620mm Dia.) 50mm Embers	1	218	2m²	CP5E
Prägue Sett Cobble - 100x100x60mm	400	536	4.00m ²	PC6
Prägue Sett Kerb Unit - Spring 160x200x100mm	72	482	7.20lm	PKL
Prägue Sett Kerb Unit - Summer 125x200x100mm	252	1310	25.2lm	RKLPS





Prägue stampe

	TANKS OF THE			
Prägue Sett Stampe [50mm]				
Assorted Pack [134x210/134x134/134x100mm]				
Prägue Sett Stampe - 50mm Spring	672	1411	12.92m ²	P5ST
Prägue Sett Stampe - 50mm Summer	672	1411	12.92m²	P5STS
Prägue Sett Stampe - 50mm Autumn	672	1411	12.92m ²	P5STA
Prägue Sett Stampe - 50mm Winter	672	1411	12.92m²	P5STW
Prägue Sett Stampe - 50mm Blaze	672	1411	12.92m²	P5STBL
Prägue Sett Stampe - 50mm Embers	672	1411	12.92m ²	P5STE
All 6 colours available in 60mm	576	1470	11.08m ²	Various
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Spring	1	218	2m²	CP5ST
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Summer	1	218	2m²	CP5STS
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Autumn	1	218	2m²	CP5STA
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Winter	1	218	2m²	CP5STW
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Blaze	1	218	2m²	CP5STBL
Prägue Sett Stampe Circle (1600mm Dia.) 50mm Embers	1	218	2m²	CP5STE
Staffordshire Cobble® [60mm]				
Staffordshire Cobble 200x100x60mm - Red	576	1480	11.52m ²	R60RS
Staffordshire Cobble 200x100x60mm - Charcoal	576	1480	11.52m²	R60CS
Hampton				
156x234x50mm	350	1418	12.81m ²	HAMPGLA, HAMPSHI, HAMPGR, HAMPMI, HAMPFER

NFW

R60 Standa	rd Block Paving [60mm]				
Natural	200x100mm	576	1526	11.52m ²	R60N
Red	200x100mm	576	1526	11.52m ²	R60R
Charcoal	200x100mm	576	1526	11.52m²	R60C
Buff	200x100mm	576	1526	11.52m ²	R60B
Dark Oak	200x100mm	576	1526	11.52m²	R60DO
Marigold	200x100mm	576	1526	11.52m²	R60M
Brick Multi	200x100mm	576	1526	11.52m ²	R60BM
Doveridge Multi	200x100mm	576	1526	11.52m ²	R60DM
Burnt Sienna	200x100mm	576	1526	11.52m ²	R60BS
Maple	200x100mm	576	1526	11.52m²	R60MP
Tactile Buff	200x133mm	120	420	3.19m²	TA60B
Tactile Red	200x133mm	120	420	3.19m²	TA60R





R50 Circle Sets [50mm]				
Circle Red (1800mm Dia.)	1	277	2.55m ²	CR50R
Circle Red Expansion (2600mm Dia.)*	1	298	2.76m ²	CR50RX
Circle Charcoal (1800mm Dia.)	1	277	2.55m ²	CR50C
Circle Charcoal Expansion (2600mm Dia.)*	1	298	2.76m ²	CR50CX
R60 Circle Sets [60mm]				
Circle Red (1800mm Dia.)	1	335	2.55m ²	CR60R
Circle Red Expansion (2600mm Dia.)*	1	364	2.76m ²	CR60RX
Circle Charcoal (1800mm Dia.)	1	335	2.55m ²	CR60C
Circle Charcoal Expansion (2600mm Dia.)*	1	364	2.76m ²	CR60CX
* Overall Diameter including circle (supplied separately).				
m d ut m t all all all a				

Reflective Paving [60mm & 80mm]				
Reflective / Top Marker 200x100x60mm	240	636	4.80m ²	Various
Reflective / Top Marker 200x100x80mm	192	681	3.84m ²	Various
Available in White, Yellow & Black				

Other Colours and coatings Madegue®

	Source Permeable Paving		No. Per Pack	Pack Weight Kg	Area Per Pack	Code
NEW	All colours	220x110x60mm	490	1342	11.86m ²	Various
NEW	All colours	220x110x80mm	350	1277	8.47m ²	Various









A-Cell Permeable Paving				
X-Cell 600x400x100mm Bridleway	32	992	7.67m ²	X100BRI
X-Cell 600x400x100mm Causeway	32	992	7.67m ²	X100CAU

Track

NEW NEW

/	All colours	200x100x60mm	576	1526	11.52m ²	Various
7	All colours	200x100x80mm	432	1533	8.64m²	Various

Z III OCIOGIO ECONTOCIONI		.02		310 1111	*CITOGO
Kerb and Edging System	No. Per Pack	Pack Weight Kg	Code Charcoal	Code Red	Code Multi
Edging Block Vertical	432	1447	RBVC	RBVR	-
Edging Block Horizontal	432	1434	RBC	RBR	-
Restraint Kerb Large 125x200x100mm	252	1310	RKLC	RKLR	RKLMU
Restraint Kerb Large 125x200x100mm	126	655	RKLCH	RKLRH	RKLMUH
Restraint Kerb Small 125x125x100mm	378	1360	RKSC	RKSR	RKSMU
Restraint Kerb Small 125x125x100mm	168	605	RKSCH	RKSRH	RKSMUH
Restraint Kerb Int/Ext Rad. Large	108	460	RKLRC	RKLRR	RKLRMU
Restraint Kerb External Rad. Small	168	445	RKSXRC	RKSXRR	RKSXRMU
Restraint Kerb Internal Rad. Small	168	436	RKSIRC	RKSIRR	RKSIRMU
Restraint Kerb Small External Angle	120	492	RKSXAC	RKSXAR	RKSXAMU
Restraint Kerb Small Internal Angle	120	504	RKSIAC	RKSIAR	RKSIAMU
Restraint Kerb Large External Angle	72	442	RKLXAC	RKLXAR	RKLXAMU
Restraint Kerb Large Internal Angle	72	493	RKLIAC	RKLIAR	RKLIAMU
Restraint Kerb Large Horiz. Ext. Angle	-	10	RKHXAC	RKHXAR	-
Restraint Dropper Left Hand (2 part)	-	27	RKDLC	RKDLR	RKDLMU
Restraint Dropper Right Hand (2 part)	-	27	RKDRC	RKDRR	RKDRMU
Speed Bump 200x200x60mm	72	395	SB2C	SB2R	-
Dished Channel 200x200x60mm	96	484	SD200C	SD200R	SD200MU
Dished Channel 100x200x60mm	144	726	SD100C	SD100R	-
Dished Channel Corner	-	5	SDAC	SDAR	-
Transition HB2 to RKL	-	16	HB2KLC	HB2KLR	HB2KLMU
Transition RKL to HB2	-	16	KLCHB2	KLRHB2	KLMUHB2
Transition HB2 to RKS (2)	-	28	HB2KSC	HB2KSR	-
Transition RKS to HB2 (2)	-	28	KSCHB2	KSRHB2	-
Transition KLN to HB2 (Natural)	-	16	KLN	HB2	-
Transition HB2 to KLN (Natural)	-	16	HB2	KLN	-

Block Paving Fittings



Large/Small Restraint Kerb



Large Ext/Int Radius Kerb



Small Ext/Int Radius Kerb



Large/Small Internal Corner



Large/Small External Corner



Tactile Paving Block



HB2 to RKL Transition



Dished Channel



Corner **Dished Channel**



Speed Bump



Restraint Kerb Large Horizontal External Angle

Information

European Standards; in cases where no such Standard applies, we operate our own rigorous quality system. ISO 9001:2008 Certificate No: LRQ 4002783 and ISO 14001:2004 Certificate No: LRQ 4003404 are relevant to all processes.

should be from 2mm to 4mm wide, whilst wider, grouted joints should be between 5mm and 10mm. Laying flags with a staggered joint creates a better finished effect.

Where more than one load of flags or block pavers are required for a single paved area, it is desirable to call off the whole order to reduce the effects of colour variation and that products are thoroughly mixed on site, taking from a minimum of three packs where practicable.

products with a high cement content and is not detrimental to their performance in use. It is a temporary phenomenon which should wear away naturally with normal trafficking and weathering.

products will keep their attractive appearance and continue to give excellent service for many years.


the condition of product received, you should notify the supplier immediately and before the product is laid. We and relaying defective product if the defect was evident prior to laying.

All weights are approximate and all sizes stated are nominal.



BS Eaton Limited Cheslyn Hay Walsall WS6 7EY

- Text orders: 07624 804160





Process Powered by Ecotricity



When you have finished with this publication please recycle it

Embers

Embers







Due to the limitations of printing and photographic processes, colour and finish is best judged from actual products.
Call our Sales Office on 01922 708100 or request a sample from your local stockist.





X Range [®]	No. Per Pack	No. Per Tonne	Graphite	Honey	Mist	Coco
		7	\ \rac{1}{2}			
600v600v35mm	35	35	BY35GB	BX35HO	BX35MI	BX35CC

NEW

NEW

600x600x35mm	35		35	BX35GR	BX35HO	BX35MI	BX35CC
600x600x50mm	25	П	25	BX50GR	BX50HO	BX50MI	-
600x600x60mm	20	Т	20	BX60GR	BX60HO	BX60MI	-
450x600x35mm	70		46	AX35GR	AX35HO	AX35MI	-
450x600x50mm	50	П	34	AX50GR	AX50HO	AX50MI	-
450x600x60mm	40		28	AX60GR	AX60HO	AX60MI	-
450x450x35mm	70		64	EX35GR	EX35HO	EX35MI	EX35CC
450x450x50mm	50		46	EX50GR		EX50MI	-
450x450x60mm	40		38	EX60GR	EX60HO	EX60MI	-
400x400x35mm	70		79	FX35GR	FX35HO	FX35MI	-
400x400x50mm	50		54	FX50GR	FX50HO	FX50MI	-
400x400x60mm	40		45	FX60GR	FX60HO	FX60MI	-
400x400x65mm	36		42	-	FX65HO	FX65MI	-
300x600x35mm	70		70	HX35GR	HX35HO	HX35MI	-
300x600x50mm	50		48	HX50GR	HX50HO	HX50MI	-
300x600x60mm	40		40	HX60GR	HX60HO	HX60MI	-
600x600x35mm Xtreme	32		35	-	BXHOT	BXMIT	-
450x450x35mm Xtreme	70		64	-	EXHOT	EXMIT	-
Circle 35mm (25 piece)	1		-	-	XC23HO	XC23MI	-
Circle Squaring Off Set (12)	1		-	-	XS23HO	XS23MI	-
X Edging 50x150x915mm	50		62	-	EFXHO	EFXMI	-
X Edging 50x150x600mm	50		100	-	EF2XHO	EF2XMI	-
X Coping 136x600x50mm	50		106	-	XCOPH	-	-
X Coping 275x600x50mm	50		52	-	XCOP2H	-	-
X Stepping Stone 600mm	30		38	-	XCSSHO	XCSSMI	-
· · · · · · · · · · · · · · · · · · ·		_					





reme	NEW

Decorative Chamfered Flags	No. Per Pack	No. Per Tonne			
600x600x50mm Riven Faced [5mm 45]	25	24	B50RF	B50RFY	-
600x600x38mm Riven Faced [5mm 45"]	32	32	B38RF	B38RFY	B38RFR
450x450x38mm Riven Faced [5mm 45"]	64	61	E38RF	E38RFY	E38RFR
450x450x50mm Riven Faced [5mm 45"]	50	46	E50RF	E50RFY	E50RFR
300x600x38mm Riven Faced [5mm 45"]	64	61	H38RF	H38RFY	-

Milford®

hydraulically pressed flags

Milford® Flags					
600v600v25mm Pivon Focod	25	25	DM	DMV	DMD

600x600x35mm Riven Faced	35	35	BM	BMY	BMR
450x600x35mm Riven Faced	70	45	AM	AMY	AMR
450x450x35mm Riven Faced	74	69	EM	EMY	EMR
300x600x35mm Riven Faced	70	68	HM	HMY	HMR
300x300x35mm Riven Faced	70	139	GM	GMY	GMR

Decorative Edging [50mm] No. Pe	r Pack Weight Kg	Natural	Buff	Red	Charcoa	l Multi
50x150x600mm Round Top Edgings 48	412	ERN	ERB	ERR	ERC	ERMU
50x150x600mm Scallop Top Edgings 48	412	ESN	ESB	ESR	ESC	ESMU
50x150x600mm Rope Top Edgings 48	412	EROPN	EROPB	EROP	R EROPC	EROPMU
Paget Flags	No. Per Pack	r No. F Tonn		tural	Buff	Red
450x450x35mm Fine Faced	74	66	Е	Р	EPY	EPR
600x600x35mm Fine Face	35	34	E	3P	BPY	BPR
Chamfered Flags						
450x450x38mm [5mm 45"]	64	56	Е	38	E38Y	E38R
450x450x50mm [5mm 45"]	50	44	E	50	E50Y	-
450x450x70mm [5mm 45"]	36	30	E	70	-	-
400x400x50mm [5mm 45"]	50	53		50	F50Y	-
400x400x65mm [5mm 45"]	36	42	F	65	F65Y	F65R
300x300x60mm [5mm 45"]	40	40 78		60	G60Y	-
Light Duty Flags						
600x600x38mm	32	32	В	38	B38Y	B38R
450x600x38mm	64	42	Α	38	-	-
300x600x38mm	64	63	Н	38	H38Y	H38R
Standard/Commercial Duty Flag	S					
900x600x50mm	25	16	D	50	D50Y	D50R
900x300x50mm	25	32	D3	300	D300Y	-
750x600x50mm	25	19	С	50	C50Y	-
600x600x50mm	25	24	В	50	B50Y	B50R
450x600x50mm	50	33	Α	50	-	-
450x450x50mm	50	44	E5	50S	E50SY	E50SR
300x600x50mm	50	49	Н	50	H50Y	H50R
300x300x50mm	50	98	G	50	G50Y	-
Tactile Flags						



Guidance Path



Platform Edge (off street)



Barfaced Surface



Corduroy Hazard Warning



Cycle Track/Footway



Platform Edge (on street)



Blister Surface



Checker

(011 311 661)	waning		(011 31100	,		
600x600x38mm I	Barfaced	32	32	B38BF	-	-
900x600x50mm I	Barfaced	25	16	D50BF	-	-
750x600x50mm I	Barfaced	25	19	C50BF	-	-
600x600x50mm I	Barfaced	25	24	B50BF	B50BFY	B50BFR
450x600x50mm I	Barfaced	50	33	A50BF	-	-
450x450x50mm	Tactile Blister	44	43	TA/EQ	TA/EY	TA/ER
400x400x65mm	Tactile Blister	34	40	T65/FQ	T65/FY	T65/F
400x400x50mm	Tactile Blister	44	53	TA/FQ	TA/FY	TA/F
400x400x50mm	Corduroy Hazard	44	53	TH/FQ	TH/FY	TH/FR
400x400x50mm I	Platform Off Street	44	53	TP/FQ	TP/FY	-
400x400x50mm I	Platform On Street	44	53	-	TL/FY	-
400x400x50mm	Cycleway	44	53	TC/FQ	TC/FY	-
400x400x50mm	Guidance Path	44	53	TG/FQ	TG/FY	-
400x400x65mm l	Platform On Street	34	40	-	TL65FY	-
450x450x65mm	Tactile Flags	34	32	-	T65/EY	T65/ER

Heavy Duty Flags					
900x600x63mm	20	13	D63	-	-
750x600x63mm	20	15	C63	-	-
600x600x63mm	20	19	B63	B63Y	-
450x600x63mm	40	25	A63	-	-
300x600x63mm	40	38	H63	-	-




	ഗ	
	$\overline{\mathbb{Q}}$	
	\subseteq	
	\subseteq	
	$\overline{\mathbf{c}}$	
	\overline{a}	
	\supseteq	
	L T	
	S	
-	드	
	(A)	

A.s.le	a vei	Ounfaud Claha		No Por F)ook	No Por	Toppo		Codo
Upli		Oxxford Slabs		No. Per F	ack	No. Pe	Tonne		Code
	NEW	Oxxford Paving Limewold 900x600x50mm		25		16	3	C	PD50L
	NEW	Oxxford Paving Granite Sparkle 900x600x50mm		25		16			PD50GS
	NEW	Oxxford Paving Granite Sparkle 900x300x50mm		25		32			D300GS
	NEW	Oxxford Paving Granite Sparkle 600x600x50mm		25		25			PB50GS
	NEW	Oxxford Paving Limewold 600x600x50mm		25		25			PB50L
	NEW	Oxxford Paving Craigside 600x600x50mm		25		25			PB50C
	NEW	Oxxford Paving Granite Sparkle 600x600x63mm		20 20		19 19			PB63GS)PB63L
	NEW	Oxxford Paving Limewold 600x600x63mm Oxxford Paving Granite Sparkle 450x450x50mm		50		43			PE50GS
	NEW	Oxxford Paving Limewold 450x450x50mm		50		43			PE50L
	NEW	Oxxford Paving Granite Sparkle 450x450x70mm		36		30			PE70GS
	NEW	Oxxford Paving Limewold 450x450x70mm		36		30			PE70L
	NEW	Oxxford Paving Granite Sparkle 400x400x50mm		50		53			PF50GS
	NEW	Oxxford Paving Granite Sparkle 400x400x65mm		36		42	2	O	PF65GS
CO	NEW	Oxxford Paving Limewold 400x400x65mm		36		42	2		PF65L
\sim	NEW	Oxxford Paving Craigside 400x400x65mm		36		42			PF65C
4	NEW	Oxxford Paving Granite Sparkle 300x300x60mm		40		78			PG60GS
σ	NEW	Oxxford Paving Limewold 300x300x60mm		40		78			PG60L
slabs	NEW	Oxxford Paving Craigside 300x300x60mm		40		78			PG60C
0)	NEW	Oxxford Paving Granite Sparkle 300x600x50mm	NI- D	50		46			PH50GS
		Oxxford Fusion Kerbs (Textured)	No. P Pack			anite arkle	Limew	old	Craigside
	NEW	Oxxford Half Batter Kerb 125x255x915mm	20	15		2FGS	OH2	PFI	OH2FC
	NEW	Oxxford Half Batter Radius Kerb 125x255mm	-	-		ious*	vario		various*
	NEW	Oxxford Half Batter/Bullnosed Dropper Kerb L/H	20	19	ODL	1FGS	ODL	1FL	ODL1FC
	NEW	Oxxford Half Batter/Bullnosed Dropper Kerb R/H	20	19	ODF	R1FGS	ODR	1FL	ODR1FC
	NEW	Oxxford Bullnosed Centre Kerb 125x150x915mm	20	24		3FGS	OB3		OB3FC
	NEW	Oxxford Internal Angle 305x255x125mm	8	27		AFGS	OHI		OHIAFC
	NEW	Oxxford External Angle 305x255x125mm	8	28		IAFGS	OHX		OHXAFC
	NEW	Oxxford Quadrant 305x255mm	8	24	OH	QFGS	OHO	λ⊦Γ	OHQFC
		Oxxford Retro Kerbs (Textured)							
	NEW	Oxxford Kerb 145x255x915mm	18	12	OK	2RGS	OK2	RL.	OK2RC
	NEW	Oxxford Kerb 145x255x610mm	18	18	OK26	00RGS	OK26	00RL	OK2600RC
	NEW	Oxxford Kerb 145x255x300mm	18	37					OK2300RC
	NEW	Oxxford Radius Kerb 145x255mm	-	-		ious*	vario		various*
	NEW	Oxxford Dropper Kerb L/H	18	15		LRGS	OKD		OKDLRC
	NEW	Oxxford Dropper Kerb R/H	18	15		LRRGS	OKDL		OKDLRRC
	NEW NEW	Oxxford Centre Kerb 145x145x915mm Oxxford Quadrant 305x255x915mm	18 8	20		3RGS QRGS	OK3		OK3RC OKQRC
	NEW	Oxxford Flat Top Edging 60x150x915mm	40	51		FGS	OE		OEFC
	INEW	*radius sizes available upon request	10	0.		. 0.0		_	02.0
		Half Batter Kerbs	No	. Per Pack	٨	lo. Per To	nne		Code
		150x305x915mm	140	16		10	11110		HB1
		125x255x915mm		20		15			HB2
		125x255x610mm		20		23			B261
		125x205x915mm		20		19			B205
		125x150x915mm		20		26			HB3
		Weir Kerb (Offlet) 125x255x915mm		20		16		H	IB2W
		External Angle 305x255mm		8		28			(AHB
		Internal Angle 305x255mm		8		27			AHB
		Quadrant 305x255mm		8		23			HB305
S		Quadrant 455x255mm		8		10		Ųl	HB455
<u>(1)</u>		Bullnosed Kerbs							
=	NEW	150x305x915mm		16		10			BN1
\succeq		125x255x915mm		20		14			BN2
		125x255x610mm		20		22			N261
ಹ		125x150x915mm		20		24			BN3
		125x150x610mm		20		36			N361
\overline{C}		Quadrant 305x255mm External Angle 305x255mm		8		22 25			BN305 (ABN
		Internal Angle 305x255mm		8		25			ABN
$\overline{}$									
cerbs and chanr		45° Splay Kerbs							
E	NEW	150x305x915mm		16		10			SP1
(0		125x255x915mm		20		16			SP2
(0		125x255x610mm		20		24			P261
		125x150x915mm Weir Kerb125x255x915mm		20		29 17			SP3 SP2W
ب		External Angle 305x255mm		8		31			(ASP
\overline{a}		Internal Angle 305x255mm		8		30			ASP
$ \oplus$		Quadrant 305x255mm		8		25			SP305
		Quadrant COCKECONNIN							31 000

N	Ė	۷	V

Channels	No. Per Pack	No. Per Tonne	Code
Channel Square 255x125x915mm	20	14	CS1255
Channel Square 150x150x915mm	20	20	CSS150
Channel Square 150x125x915mm	20	24	CS2150
Channel 50mm Dished 305x150x915mm	20	12	CD3305
Channel 25mm Dished 255x125x915mm	20	16	CD1255
Channel 12mm Dished 150x125x915mm	20	25	CD2150
Channel Fluted 255x75x915mm	30	24	CF
Droppers/Transitions			
Dropper Half Batter L/H HB2/BN3	20	18	DL1
Dropper Half Batter R/H BN3/HB2	20	18	DR1
Dropper Full Batter L/H SP2/BN3	20	19	DL2
Dropper Full Batter R/H BN3/SP2	20	19	DR2
Dropper Bullnosed L/H BN2/BN3	20	18	DL3
Dropper Bullnosed R/H BN3/BN2	20	18	DR3
Transition Half Batter / Splay HB2/SP2	20	16	TL
Transition Splay / Half Batter SP2/HB2	20	16	TR
Transition Half Batter to Bullnosed HB2/BN2	20	15	HB2BN2
Transition Bullnosed to Half Batter BN2/HB2	20	15	BN2HB2
Edgings			
Bullnosed Edging 50x150x915mm	50	62	EBN
Bullnosed Edging 50x205x915mm	50	46	EBN205
Bullnosed Edging 50x255x915mm	50	37	EBN255
Flat Top Edging 50x150x915mm	50	62	EF
Flat Top Edging 50x205x915mm	50	46	EF205
Flat Top Edging 50x255x915mm	50	37	EF255
Chamfered Edging 50x150x915mm	50	64	EC



Packed 18

Radius Kerb	HB2 Ext	No per Circle	HB2 Int	No per Circle	SP2 Ext	No per Circle	BN2 Ext	No per Circle	BN3 Ext	No per Circle	BN3 Int	No per Circle	DL1 Ext	No per Circle	DR1 Ext	No per Circle
12.0m	X12	94	i12	84	X12	94	X12	94	X12	94	i12	94	X12	-	X12	N.
10.5m	X105	82	i105	74	X105	82	X105	82	X105	74	i105	82	X105	· -	X105	-
10.0m	X10	78	i10	70	X10	78	X10	· 78	X10	70	i10	78	X10	-	X10	-
9.0m	X9	70	i9	64	X9	70	X9	770	X9	62	i9	70	-	-	-	
8.0m	X8	62	i8	56	X8	62	X8	62	X8	56	i8	62	X8	-	X8	-
7.5m	X75	58	i75	54	X75	58	X75	58	X75	52	i75	58	X75	-	X75	-
6.0m	X6	46	i6	42	X6	46	X6	46	X6	42	i6	46	X6	-	X6	-
5.0m	X5	40	i5	40	X5	40	X5	40	X5	34	i5	40	-	-	-	-
4.5m	X45	36	i45	36	X45	36	X45	36	X45	32	i45	36	X45	-	X45	-
4.0m	X4	32	i4	32	X4	32	X4/	32	X4	28	i4	32	X4	-	X4	-
3.0m	ХЗ	24	i3	24	ХЗ	24			ХЗ	24	i3	24	ХЗ	-	ХЗ	-
2.0m	X2	18	100		X2	18	X2	17	X2	16			-	-	-	-
1.0m	X1	12	i1	12	X1	12			-	-		$M_{\rm G}^{\rm obs}$	-	-	_	-

